

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	9185	class same java	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 11:35
L2	1511	1 and (search\$6 or find\$5 or retriev\$6 or extract\$6 or locate\$3) near4 class	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 10:54
L3	939	2 and develop\$5 near4 (program or application or software)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 10:50
L4	865	2 and develop\$5 near2 (program or application or software)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 10:55
L5	456	4 and ("707"/\$.ccls. or "717"/\$.cccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 10:56
L6	65	5 and (api and wrapper)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 10:55
L7	1880	1 and (search\$6 or find\$5 or retriev\$6 or extract\$6 or locate\$1 or locating) near2 (directory or folder or container or path or class)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 11:02
L8	911	7 and develop\$5 adj4 (program or application or software)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 10:55
L9	200	8 and (api and wrapper)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 11:36

EAST Search History

L10	70	9 and ("707"/\$.ccls. or "717"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 11:03
L11	148	(search\$6 or find\$5 or retriev\$6 or extract\$6 or locate\$1 or locating) adj4 (class adj10 (directory or folder or container or path))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 11:29
L12	55	11 and ("707"/\$.ccls. or "717"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 11:17
L13	155	(search\$6 or find\$6 or retriev\$6 or extract\$6 or locate\$1 or locating) adj4 (class adj10 (directory or folder or container or path\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 11:17
L14	37	13 and ("707"/\$.ccls. or "717"/\$.ccls. and "711"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 11:29
L15	18	14 and cach\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 11:17
L16	0	15 and (search\$6 or find\$6 or retriev\$6 or extract\$6 or locate\$1 or locating) adj4 cach44	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 11:17
L17	6	15 and (search\$6 or find\$6 or retriev\$6 or extract\$6 or locate\$1 or locating) adj4 cach\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 11:18
L18	26	13 and (search\$6 or find\$6 or retriev\$6 or extract\$6 or locate\$1 or locating) adj4 cach\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 11:23
L19	11	13 and api and wrapp\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 11:25

EAST Search History

L20	7	13 and api and wrapp\$6 and cach\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 11:25
L21	7	13 and api and wrapp\$6 and cach\$5 and (search\$5 or find\$6 or locate or locating)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 11:26
L22	3	13 and zip adj file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 11:27
L23	293	1 and zip adj file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 11:27
L24	195	23 and instantiat\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 11:28
L25	0	24 and cach\$6 near4 classes!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 11:29
L26	4	24 and cach\$6 near4 class	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 11:28
L27	1	23 and cach\$6 near4 classes!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 11:29
L28	516	cach\$6 near4 classes!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 11:29
L29	49	28 and ("707"/\$.ccls. or "717"/\$.ccls. and "711"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 11:41

EAST Search History

L30	0	29 and (search\$6 or find\$5 or retriev\$6 or extract\$6 or locate\$1 or locating) adj4 (class adj10 (directory or folder or container or path))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 11:35
L31	6	28 and (search\$6 or find\$5 or retriev\$6 or extract\$6 or locate\$1 or locating) adj4 (class adj10 (directory or folder or container or path))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 11:30
L32	23	29 and (search\$6 or find\$5 or retriev\$6 or extract\$6 or locate\$1 or locating) adj4 (class or directory or folder or container or path)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 11:32
L33	148	(search\$6 or find\$5 or retriev\$6 or extract\$6 or locate\$1 or locating) adj4 (class adj10 (directory or folder or container or path))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 11:41
L34	47	33 and class same java	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 11:37
L35	1	34 and (api and wrapper) and cach\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 11:37
L36	60	33 and class and java	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 11:37
L37	1	34 and api and wrapp\$5 and cach\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 11:38
L38	7	33 and api and wrapp\$5 and cach\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 11:39
L39	19	33 and cach\$6 adj9 (class or path\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 11:44

EAST Search History

L40	1600	1 and ("707"/\$.ccls. or "717"/\$.ccls. and "711"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 11:41
L41	14	40 and (search\$6 or find\$5 or retriev\$6 or extract\$6 or locate\$1 or locating) adj4 (class adj10 (directory or folder or container or path))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 11:44
L42	47	1 and (search\$6 or find\$5 or retriev\$6 or extract\$6 or locate\$1 or locating) adj4 (class adj10 (directory or folder or container or path))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 11:44
L43	4	42 and cach\$6 adj9 (class or path\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 11:44

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	9185	class same java	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 11:35
L2	1511	1 and (search\$6 or find\$5 or retriev\$6 or extract\$6 or locat\$3) near4 class	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 10:54
L3	939	2 and develop\$5 near4 (program or application or software)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 10:50
L4	865	2 and develop\$5 near2 (program or application or software)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 10:55
L5	456	4 and ("707"/\$.ccls. or "717"/\$. ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 10:56
L6	65	5 and (api and wrapper)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 10:55
L7	1880	1 and (search\$6 or find\$5 or retriev\$6 or extract\$6 or locate\$1 or locating) near2 (directory or folder or container or path or class)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 11:02
L8	911	7 and develop\$5 adj4 (program or application or software)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 10:55
L9	200	8 and (api and wrapper)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 11:36

EAST Search History

L10	70	9 and ("707"/\$.ccls. or "717"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 11:03
L11	148	(search\$6 or find\$5 or retriev\$6 or extract\$6 or locate\$1 or locating) adj4 (class adj10 (directory or folder or container or path))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 11:29
L12	55	11 and ("707"/\$.ccls. or "717"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 11:17
L13	155	(search\$6 or find\$6 or retriev\$6 or extract\$6 or locate\$1 or locating) adj4 (class adj10 (directory or folder or container or path\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 11:17
L14	37	13 and ("707"/\$.ccls. or "717"/\$.ccls. and "711"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 11:29
L15	18	14 and cach\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 11:17
L16	0	15 and (search\$6 or find\$6 or retriev\$6 or extract\$6 or locate\$1 or locating) adj4 cach44	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 11:17
L17	6	15 and (search\$6 or find\$6 or retriev\$6 or extract\$6 or locate\$1 or locating) adj4 cach\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 11:18
L18	26	13 and (search\$6 or find\$6 or retriev\$6 or extract\$6 or locate\$1 or locating) adj4 cach\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 11:23
L19	11	13 and api and wrapp\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 11:25

EAST Search History

L20	7	13 and api and wrapp\$6 and cach\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 11:25
L21	7	13 and api and wrapp\$6 and cach\$5 and (search\$5 or find\$6 or locate or locating)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 11:26
L22	3	13 and zip adj file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 11:27
L23	293	1 and zip adj file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 11:27
L24	195	23 and instantiat\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 11:28
L25	0	24 and cach\$6 near4 classes!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 11:29
L26	4	24 and cach\$6 near4 class	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 11:28
L27	1	23 and cach\$6 near4 classes!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 11:29
L28	516	cach\$6 near4 classes!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 11:29
L29	49	28 and ("707"/\$.ccls. or "717"/\$.ccls. and "711"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 11:41

EAST Search History

L30	0	29 and (search\$6 or find\$5 or retriev\$6 or extract\$6 or locate\$1 or locating) adj4 (class adj10 (directory or folder or container or path))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 11:35
L31	6	28 and (search\$6 or find\$5 or retriev\$6 or extract\$6 or locate\$1 or locating) adj4 (class adj10 (directory or folder or container or path))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 11:30
L32	23	29 and (search\$6 or find\$5 or retriev\$6 or extract\$6 or locate\$1 or locating) adj4 (class or directory or folder or container or path)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 11:32
L33	148	(search\$6 or find\$5 or retriev\$6 or extract\$6 or locate\$1 or locating) adj4 (class adj10 (directory or folder or container or path))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 11:41
L34	47	33 and class same java	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 11:37
L35	1	34 and (api and wrapper) and cach\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 11:37
L36	60	33 and class and java	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 11:37
L37	1	34 and api and wrapp\$5 and cach\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 11:38
L38	7	33 and api and wrapp\$5 and cach\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 11:39
L39	19	33 and cach\$6 adj9 (class or path\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 11:44

EAST Search History

L40	1600	1 and ("707"/\$.ccls. or "717"/\$.ccls. and "711"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 11:41
L41	14	40 and (search\$6 or find\$5 or retriev\$6 or extract\$6 or locate\$1 or locating) adj4 (class adj10 (directory or folder or container or path))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 11:44
L42	47	1 and (search\$6 or find\$5 or retriev\$6 or extract\$6 or locate\$1 or locating) adj4 (class adj10 (directory or folder or container or path))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 11:44
L43	4	42 and cach\$6 adj9 (class or path\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 11:44